

| Ref # | Hits | Search Query | DBs | Default Operator | Plurals | Time Stamp |
|-------|------|---|---|------------------|---------|------------------|
| S1 | 62 | conduit with light with reflect\$5 with coat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 13:43 |
| S10 | 557 | conduit with coupl\$3 with (led laser (light adj source)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 14:20 |
| S11 | 7 | S1 and S10 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 13:47 |
| S12 | 126 | conduit with coupl\$3 with display | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 13:48 |
| S13 | 2 | S1 and S12 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 13:48 |
| S14 | 2 | S11 and S12 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 13:48 |
| S15 | 988 | (conduit guide) with light with reflect\$5 with coat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 14:21 |
| S16 | 4155 | (conduit guide) with coupl\$3 with (led laser (light adj source)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 14:20 |
| S17 | 6 | S15 with S16 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 14:20 |
| S19 | 13 | (conduit guide) with light with reflect\$5 with (direct\$2 near3 coat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 14:24 |

| | | | | | | |
|-----|-------|--|---|----|----|------------------|
| S21 | 861 | (conduit guide) with (reflect\$3 near3 coat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 14:25 |
| S22 | 101 | S21 and "385"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 14:28 |
| S24 | 83 | S22 and (led laser (light adj source)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 14:28 |
| S25 | 19 | S24 and display | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 14:30 |
| S27 | 8 | S25 and (reflect\$3 with (tin nickel copper zinc aluminum silver gold chromium)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 14:35 |
| S28 | 6 | S27 and index with refraction | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 15:49 |
| S29 | 2 | S28 and (transparent with (guide conduit)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 14:38 |
| S30 | 19003 | (transparent with (guide conduit)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 14:38 |
| S31 | 3860 | transparent with conduit | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 14:38 |
| S34 | 26 | conduit with reflect\$3 with spray\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 14:41 |

| | | | | | | |
|-----|------|---|---|----|----|------------------|
| S35 | 83 | (conduit guide) with reflect\$3 with spray\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 14:42 |
| S36 | 2 | S35 and "385"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 14:43 |
| S37 | 502 | silver with spray\$3 with paint\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 15:10 |
| S39 | 51 | light same guide same conduit same reflect\$3 same coat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 15:44 |
| S41 | 16 | light same guide same conduit same (reflect\$3 near3 coat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 15:44 |
| S42 | 11 | light same conduit same (reflect\$3 near3 coat\$3) and "385"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 15:46 |
| S43 | 2 | light same (conduit with (reflect\$3 near3 coat\$3)) and "385"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 15:46 |
| S44 | 7 | (conduit with (reflect\$3 near3 coat\$3)) and "385"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 15:46 |
| S45 | 1701 | 385/129.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 15:49 |
| S46 | 0 | 385/129.ccls. and conduit with reflect\$3 with coat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 15:50 |

| | | | | | | |
|-----|-----|---|---|----|----|------------------|
| S47 | 9 | 385/129.ccls. and guide with reflect\$3 with coat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 15:50 |
| S48 | 70 | 385/129.ccls. and (fiber guide wave\$1guide) with reflect\$3 with coat\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 16:00 |
| S49 | 401 | waveguide with (reflective adj coating) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 16:00 |
| S50 | 17 | S49 and 385/129.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 16:03 |
| S52 | 15 | S50 and (laser led (light adj source)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 16:03 |
| S54 | 2 | S50 and display | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 16:04 |
| S55 | 16 | (fiber wave\$1guide guide) with (reflect\$3 near2 coat\$3) with boundary | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 16:26 |
| S56 | 69 | waveguide with ((constant uniform) adj index) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 16:27 |
| S60 | 344 | waveguide with (reflective adj coat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 16:29 |
| S61 | 5 | S56 and S60 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 16:45 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S62 | 4305 | waveguide and display and (light adj source) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 16:46 |
| S63 | 3 | S62 and S56 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 16:48 |
| S66 | 18 | (waveguide fiber) same (reflect\$3 near3 coat\$3) same ((constant uniform) near3 index) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 16:53 |
| S67 | 3277 | (waveguide fiber) with (reflect\$3 near3 coat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:16 |
| S68 | 41 | S67 and 385/129.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/15 16:54 |
| S69 | 3277 | (waveguide fiber) with (reflect\$3 near3 coat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:43 |
| S70 | 65 | S69 and ((waveguide fiber) with (index near3 (constant uniform))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:00 |
| S71 | 61 | S70 and ((waveguide fiber) with ((light near source) led laser)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:13 |
| S72 | 21 | S71 and ((waveguide fiber) with (lcd display)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:04 |
| S73 | 15 | S72 and ((reflect\$3 near3 coat\$3) with (tin nickel copper zinc aluminum silver gold chromium)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:10 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S74 | 15 | S73 and ((waveguide fiber) with transparent) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:10 |
| S76 | 19 | S70 and ((reflect\$3 near3 coat\$3) with (tin nickel copper zinc aluminum silver gold chromium)) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:11 |
| S77 | 17 | S76 and ((waveguide fiber) with transparent) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:10 |
| S78 | 16 | S72 and "385"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 16:39 |
| S79 | 1163 | S69 and "385"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:14 |
| S80 | 16 | (waveguide fiber) with (reflect\$3 near3 coat\$3) with boundary | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:18 |
| S81 | 200 | (waveguide fiber) with (reflect\$3 near3 coat\$3) with direct\$2 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:25 |
| S82 | 62 | S81 and "385"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 16:43 |
| S83 | 78 | (waveguide fiber) with (reflect\$3 near3 coat\$3) with directly | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:25 |
| S84 | 37 | S83 and "385"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:25 |

| | | | | | | |
|-----|------|--|---|----|----|------------------|
| S88 | 1809 | (waveguide fiber) with (reflect\$3 near3 coat\$3) not (anti antireflect\$3 ar) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:45 |
| S89 | 530 | S88 and "385"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:44 |
| S90 | 18 | S88 and ((waveguide fiber) near5 (index near3 (constant uniform))) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:46 |
| S91 | 10 | S90 not non\$1uniform | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:46 |
| S92 | 7 | S91 not non\$reflect\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:56 |
| S93 | 475 | (waveguide fiber) near3 (reflective adj coating) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 14:56 |
| S94 | 186 | S93 and "385"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 15:04 |
| S95 | 6 | S94 and (constant uniform) near3 index | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 15:27 |
| S96 | 1 | S95 and (tin gold silver chromium aluminum zinc copper nickel) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 15:10 |
| S97 | 96 | S94 and (tin gold silver chromium aluminum zinc copper nickel) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 15:10 |

| | | | | | | |
|------|-------|--|---|----|----|------------------|
| S98 | 14407 | (waveguide fiber) with display | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 15:17 |
| S99 | 43 | S93 and S98 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 15:18 |
| S100 | 9 | S93 and (constant uniform) near3 index | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 15:27 |
| S102 | 344 | waveguide with (reflective adj coat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 16:43 |
| S103 | 5 | S102 with display | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 16:43 |
| S104 | 1933 | waveguide with display | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 16:43 |
| S105 | 378 | S104 and "385"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 16:45 |
| S106 | 7 | S104 with (reflect\$3 near3 coat\$3) | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 16:50 |
| S107 | 1 | waveguide with reflect\$3 with coat\$3 with spray\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 16:51 |
| S108 | 24 | waveguide same reflect\$3 same coat\$3 same spray\$3 | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 17:47 |

| | | | | | | |
|----------|------|--|---|----|----|------------------|
| S10 9 | 6 | "5919712".pn. "20040004767" "20040008952" | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 18:16 |
| S11 0 | 1974 | waveguide near3 transparent | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 18:16 |
| S11 2 | 1359 | (waveguide near3 transparent) not electrode | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 18:16 |
| S11 3 | 495 | S112 and "385"/\$.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 18:17 |
| S11 4 | 62 | S112 and "385"/129.ccls. | US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT | OR | ON | 2005/06/16 18:17 |

Day : Monday
Date: 6/20/2005

**PALM INTRANET**

Time: 11:19:35

Inventor Name Search Result

Your Search was:

Last Name = FREDLEY

First Name = DAVID

| Application# | Patent# | Status | Date Filed | Title | Inventor Name 7 |
|--------------------------|-------------------------|--------|------------|---|-------------------|
| 10930581 | Not Issued | 030 | 08/31/2004 | HIGHLY READABLE DISPLAY FOR WIDELY VARYING LIGHTING CONDITIONS | FREDLEY, DAVID S. |
| 10835681 | Not Issued | 030 | 04/30/2004 | DISPLAY-INPUT APPARATUS FOR A MULTI-CONFIGURATION PORTABLE DEVICE | FREDLEY, DAVID S. |
| 10806992 | Not Issued | 030 | 03/23/2004 | HIGH EFFICIENCY LIGHT GUIDE | FREDLEY, DAVID S. |
| 10232787 | 6888607 | 150 | 08/29/2002 | REWRTABLE SIGN SYSTEM | FREDLEY, DAVID S. |
| 08743353 | Not Issued | 161 | 11/04/1996 | LIGHT-INTENSITY BASED CONTROL MECHANISM | FREDLEY, DAVID S |

Inventor Search Completed: No Records to Display.

Search Another: Inventor

| | | |
|--------------------------------------|------------------------------------|---------------------------------------|
| Last Name | First Name | |
| <input type="text" value="Fredley"/> | <input type="text" value="David"/> | <input type="button" value="Search"/> |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Monday
Date: 6/20/2005


PALM INTRANET

Time: 11:20:06

Inventor Name Search Result

Your Search was:

Last Name = CASTANEDA

First Name = JULIO

| Application# | Patent# | Status | Date Filed | Title | Inventor Name 50 |
|--------------------------|------------|--------|------------|--|---------------------|
| 29215995 | Not Issued | 093 | 10/28/2004 | COMMUNICATION DEVICE | CASTANEDA, JULIO C. |
| 29207677 | Not Issued | 030 | 06/16/2004 | COMMUNICATION DEVICE | CASTANEDA, JULIO C. |
| 29186297 | D496636 | 150 | 07/14/2003 | COMMUNICATION DEVICE | CASTANEDA, JULIO C. |
| 29186229 | D504680 | 150 | 07/11/2003 | KEYPAD FOR A COMMUNICATION DEVICE | CASTANEDA, JULIO C. |
| 29186121 | D494947 | 150 | 07/09/2003 | COMMUNICATION DEVICE | CASTANEDA, JULIO C. |
| 29067924 | Not Issued | 164 | 04/07/1997 | A COMMUNICATION DEVICE | CASTANEDA, JULIO C. |
| 29025961 | D384345 | 150 | 07/18/1994 | PORTABLE RADIO | CASTANEDA, JULIO C. |
| 11118436 | Not Issued | 019 | 04/29/2005 | ELECTRONIC DEVICE COMPRISING A SINGLE HINGE TWIST MECHANISM AND A METHOD TO USE SAME | CASTANEDA, JULIO C. |
| 11074097 | Not Issued | 020 | 03/07/2005 | APPARATUS FOR SEPARATING PARTICULATES FROM A SPEAKER SYSTEM | CASTANEDA, JULIO C. |
| 11055219 | Not Issued | 020 | 02/10/2005 | METHOD AND SYSTEM FOR DISPLAY ORIENTATION | CASTANEDA, JULIO C. |
| 11027738 | Not Issued | 020 | 12/29/2004 | DUAL SIDED EAR CUP | CASTANEDA, JULIO C. |
| 11026709 | Not Issued | 020 | 12/30/2004 | PCB MOUNTED AUDIO JACK | CASTANEDA, JULIO C. |
| 10984046 | Not Issued | 030 | 11/09/2004 | SIZE EFFECTIVE KEYPAD SWITCHING AND BACKLIGHTING SCHEME | CASTANEDA, JULIO C. |

| | | | | | |
|-----------------|----------------|-----|------------|--|---------------------|
| <u>10865560</u> | Not Issued | 020 | 06/10/2004 | SOFT BUTTONS ON LCD MODULE WITH TACTILE FEEDBACK | CASTANEDA, JULIO C. |
| <u>10845752</u> | Not Issued | 030 | 05/14/2004 | WIRELESS DEVICE FOR CAPTURING MULTIPLE CHANNEL AUDIO | CASTANEDA, JULIO C. |
| <u>10806992</u> | Not Issued | 030 | 03/23/2004 | HIGH EFFICIENCY LIGHT GUIDE | CASTANEDA, JULIO C. |
| <u>10729041</u> | Not Issued | 030 | 12/05/2003 | ELECTRONIC DEVICE HAVING A MOTOR PROVIDING VIBRATION AND CAMERA ADJUSTMENT FUNCTIONALITY | CASTANEDA, JULIO C. |
| <u>10630408</u> | Not Issued | 092 | 07/30/2003 | DUAL DIRECTIONAL DISPLAY FOR COMMUNICATION DEVICE | CASTANEDA, JULIO C. |
| <u>10623890</u> | Not Issued | 030 | 07/21/2003 | WIRELESS DEVICE LIGHTING SYSTEM | CASTANEDA, JULIO C. |
| <u>10608691</u> | Not Issued | 030 | 06/27/2003 | TRANSDUCER ASSEMBLY | CASTANEDA, JULIO C. |
| <u>10608323</u> | Not Issued | 030 | 06/27/2003 | ACOUSTIC SEAL SYSTEM | CASTANEDA, JULIO C. |
| <u>10608322</u> | Not Issued | 030 | 06/27/2003 | METHOD AND APPARATUS FOR CUSTOMIZATION OF A USER INTERFACE | CASTANEDA, JULIO C. |
| <u>09071186</u> | Not Issued | 161 | 05/01/1998 | AUDIO PORTING ASSEMBLY FOR A PORTABLE COMMUNICATION DEVICE | CASTANEDA, JULIO C. |
| <u>09054563</u> | <u>5940153</u> | 150 | 04/03/1998 | DISPLAY ASSEMBLY HAVING LCD AND SEAL CAPTURED BETWEEN INTERLOCKING LENS COVER AND LIGHT PIPE | CASTANEDA, JULIO C. |
| <u>09038918</u> | <u>6177881</u> | 150 | 03/12/1998 | VIBRATOR MOUNTING ASSEMBLY FOR A PORTABLE COMMUNICATION DEVICE | CASTANEDA, JULIO C. |
| <u>09024621</u> | Not Issued | 161 | 02/17/1998 | ELECTRONIC DEVICE ASSEMBLY | CASTANEDA, JULIO C. |
| <u>08996857</u> | Not Issued | 161 | 12/23/1997 | METHOD AND ELECTRONIC DEVICE FOR PROVIDING A MICROPHONE WITH REDUCED WIND-INDUCED NOISE | CASTANEDA, JULIO |
| <u>08932343</u> | Not | 161 | 09/19/1997 | REMOVABLE COVER ONE- | CASTANEDA, |

| | | | | | |
|-----------------|----------------|-----|------------|--|------------------------|
| | Issued | | | PIECE PC BOARD SHEILD AND METHOD OF USING THE SAME | JULIO C. |
| <u>08878869</u> | <u>5869204</u> | 150 | 06/19/1997 | BATTTERY LATCH FOR A COMMUNICATION DEVICE | CASTANEDA, JULIO C. |
| <u>08835365</u> | <u>5746307</u> | 250 | 04/07/1997 | SWITCH ASSEMBLY FOR A PORTABLE RADIO | CASTANEDA, JULIO C. |
| <u>08818114</u> | <u>5905803</u> | 150 | 03/14/1997 | FLUSH PORTING METHOD AND DEVICE FOR REDUCTION OF WIND- INDUCED NOISE IN A MICROPHONE | CASTANEDA, JULIO |
| <u>08781554</u> | <u>5685418</u> | 250 | 01/09/1997 | SWITCH DEVICE HAVING DETACHABLE GRASP SUPPORT MEMBER | CASTANEDA, JULIO C. |
| <u>08774047</u> | <u>5749457</u> | 250 | 12/23/1996 | ELECTRONIC DEVICE WITH SWITCH AND PIVOTABLE ACTUATOR ASSEMBLY | CASTANEDA, JULIO C. |
| <u>08770619</u> | Not Issued | 166 | 12/19/1996 | BATTERY LATCH FOR A COMMUNICATION DEVICE | CASTANEDA, JULIO C. |
| <u>08736633</u> | <u>5770330</u> | 250 | 10/24/1996 | BATTERY PACKAGE WITH MULTIPLE SURFACE CHARGING CONTACTS | CASTANEDA, JULIO C. |
| <u>08709703</u> | <u>5742004</u> | 250 | 09/09/1996 | COPLANAR INTERLOCKING SHIELD | CASTANEDA, JULIO C. |
| <u>08579999</u> | Not Issued | 166 | 12/20/1995 | REMOVABLE COVER ONE PIECE PC BOARD SHIELD AND METHOD OF USING SAME | CASTANEDA, JULIO C. |
| <u>08562479</u> | Not Issued | 166 | 11/24/1995 | BATTERY LATCH FOR A COMMUNICATION DEVICE | CASTANEDA, JULIO C. |
| <u>08533802</u> | <u>5655913</u> | 150 | 09/26/1995 | ELECTRICAL INTERCONNECT CONTACT | CASTANEDA, JULIO C. |
| <u>08520361</u> | Not Issued | 166 | 08/28/1995 | SWITCH DEVICE HAVING DETACHABLE GRASP SUPPORT MEMBER | CASTANEDA, JULIO C. |
| <u>08509147</u> | <u>5596487</u> | 150 | 07/31/1995 | APPARATUS FOR RF SHIELDING RADIO CIRCUITRY | CASTANEDA, JULIO C. |
| <u>08498445</u> | <u>5673314</u> | 150 | 09/18/1995 | ELECTRONIC DEVICE WITH DOOR COVER SPEAKER ACTUATOR AND LATCH MECHANISM | CASTANEDA, JULIO C. |
| <u>08497829</u> | <u>5557079</u> | 150 | 07/03/1995 | ELECTRONIC DEVICE WITH SHIELDED KEYPAD | CASTANEDA, JULIO C. |

| | | | | | |
|-----------------|----------------|-----|------------|--|---------------------|
| | | | | INTERFACE | |
| <u>08270619</u> | <u>5539416</u> | 150 | 07/05/1994 | ANTENNA MOUNTING ASSEMBLY | CASTANEDA, JULIO C. |
| <u>08252466</u> | <u>5529502</u> | 150 | 06/01/1994 | SOLDERLESS FLEXIBLE CIRCUIT CARRIER TO PRINTED CIRCUIT BOARD INTERCONNECTION | CASTANEDA, JULIO C. |
| <u>08236803</u> | <u>5436088</u> | 150 | 05/02/1994 | BATTERY CRADLE | CASTANEDA, JULIO C. |
| <u>08192519</u> | <u>5450993</u> | 150 | 02/07/1994 | CARRY HOLDER | CASTANEDA, JULIO C. |
| <u>07477772</u> | Not Issued | 161 | 02/09/1990 | MOUNTING FRAME AND RF SHIELD ASSEMBLY FOR RADIO APPARATUS | CASTANEDA, JULIO C. |
| <u>07161824</u> | <u>4858798</u> | 150 | 02/29/1988 | CARRY CASE WITH QUICK RELEASE AND SELF LOCATING RETAINER APPARATUS | CASTANEDA, JULIO C. |

[Search and Display More Records.](#)

| | | | |
|---------------------------------|--|------------------------------------|---------------------------------------|
| Search Another: Inventor | Last Name | First Name | <input type="button" value="Search"/> |
| | <input type="text" value="Castaneda"/> | <input type="text" value="Julio"/> | |

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Monday
Date: 6/20/2005

Time: 11:20:26

**PALM INTRANET****Inventor Name Search Result**

Your Search was:

Last Name = CASTANEDA

First Name = JULIO

| Application# | Patent# | Status | Date Filed | Title | Inventor Name 6 |
|--------------------------|-------------------------|--------|------------|--|------------------------|
| 29029038 | D369344 | 150 | 09/28/1994 | PORTABLE 2-WAY RADIO CHARGER | CASTANEDA, JULIO C. |
| 08957477 | Not Issued | 161 | 10/24/1997 | KEYPAD WITH OFFSET PLUNGER | CASTANEDA, JULIO CESAR |
| 08957476 | Not Issued | 161 | 10/24/1997 | ANTENNA STRUCTURE FOR PORTABLE COMMUNICATION DEVICE | CASTANEDA, JULIO CESAR |
| 08957276 | Not Issued | 161 | 10/24/1997 | SPEAKER PORTING FOR A COMMUNICATION DEVICE WITHOUT A DEDICATED SPEAKER GRILL | CASTANEDA, JULIO CESAR |
| 08957270 | Not Issued | 161 | 10/24/1997 | MECHANICAL COMPONENT WITH OPTIMAL PICK AND PLACE FEATURES | CASTANEDA, JULIO CESAR |

Inventor Search Completed: No Records to Display.

Search Another: Inventor Last Name First Name

To go back use Back button on your browser toolbar.

Back to [PALM](#) | [ASSIGNMENT](#) | [OASIS](#) | [Home page](#)

Day : Monday
Date: 6/20/2005

Time: 11:21:16


PALM INTRANET

Inventor Name Search Result

Your Search was:

Last Name = HUNT

First Name = STEPHEN

| Application# | Patent# | Status | Date Filed | Title | Inventor Name 50 |
|-----------------|------------|--------|------------|---|-----------------------|
| <u>60685946</u> | Not Issued | 020 | 05/31/2005 | METHOD FOR SOFTWARE DISTRIBUTION INTEGRATING SOFTWARE CONFIGURATION MANAGEMENT AND AUTOMATED MANAGEMENT OF DEPLOYMENTS | HUNT, STEPHEN LEE |
| <u>60154589</u> | Not Issued | 159 | 09/17/1999 | PROCESS AND FILTER FOR FILTERING A SLURRY | HUNT, STEPHEN G. |
| <u>60078033</u> | Not Issued | 159 | 03/16/1998 | METHOD AND INSTRUMENT FOR DETECTION AND MEASUREMENT OF LOW LEVELS OF GASES WITH APPLICATIONS IN CHEMICAL DEFENSE AND ENVIRONMENTAL MONITORING | HUNT, STEPHEN |
| <u>29217949</u> | Not Issued | 030 | 11/23/2004 | FILTER MODULE | HUNT, STEPHEN G. |
| <u>10918104</u> | Not Issued | 041 | 08/13/2004 | PROCESS AND FILTER FOR FILTERING A SLURRY | HUNT, STEPHEN G. |
| <u>10917881</u> | Not Issued | 071 | 08/13/2004 | PROCESS AND FILTER FOR FILTERING A SLURRY | HUNT, STEPHEN G. |
| <u>10806992</u> | Not Issued | 030 | 03/23/2004 | HIGH EFFICIENCY LIGHT GUIDE | HUNT, STEPHEN D. |
| <u>10794695</u> | Not Issued | 030 | 03/05/2004 | WIRELESS DISPLAY SYSTEMS AND STYLII | HUNT, STEPHEN H. |
| <u>10521209</u> | Not Issued | 019 | 01/01/0001 | IMPROVEMENTS RELATING TO SECURITY AND ELECTRONIC ARTICLE SURVEILLANCE | HUNT, STEPHEN WILLIAM |
| <u>10349006</u> | Not Issued | 030 | 01/22/2003 | COMMUNICATION DEVICE HAVING A SCENT RELEASE FEATURE AND METHOD | HUNT, STEPHEN D. |

| | | | | | |
|-----------------|----------------|-----|------------|---|-----------------------|
| | | | | THEREOF | |
| <u>10145541</u> | Not Issued | 161 | 05/14/2002 | METHOD OF REGENERATING NEURONS | HUNT, STEPHEN P. |
| <u>09882628</u> | <u>6542856</u> | 150 | 06/15/2001 | SYSTEM AND METHOD FOR MONITORING GAS TURBINE PLANTS | HUNT, STEPHEN RICHARD |
| <u>09815713</u> | Not Issued | 161 | 03/23/2001 | BALL VALVE DEVICE | HUNT, STEPHEN A. |
| <u>09751048</u> | <u>6717073</u> | 150 | 12/29/2000 | WIRELESS DISPLAY SYSTEMS, STYLL, AND ASSOCIATED METHODS | HUNT, STEPHEN H. |
| <u>09660795</u> | Not Issued | 164 | 09/13/2000 | PROCESS AND FILTER FOR FILTERING A SLURRY | HUNT, STEPHEN G. |
| <u>09607287</u> | <u>6556956</u> | 150 | 06/30/2000 | DATA ACQUISITION UNIT FOR REMOTE MONITORING SYSTEM AND METHOD FOR REMOTE MONITORING | HUNT, STEPHEN RICHARD |
| <u>09306431</u> | <u>6220076</u> | 150 | 05/06/1999 | DIFFERENTIAL GAS ANALYZER | HUNT, STEPHEN |
| <u>09266750</u> | Not Issued | 161 | 03/12/1999 | METHOD AND INSTRUMENT FOR DETECTION AND MEASUREMENT OF LOW LEVELS OF GASES WITH APPLICATIONS IN CHEMICAL DEFENSE AND ENVIRONMENTAL MONITORING | HUNT, STEPHEN |
| <u>09227664</u> | Not Issued | 161 | 01/08/1999 | GAS CHROMATOGRAPH CAPABLE OF SIMULTANEOUSLY PERFORMING MULTIPLE SEPARATIONS | HUNT, STEPHEN B. |
| <u>09226735</u> | <u>6453725</u> | 150 | 01/07/1999 | GAS CHROMATOGRAPH SAMPLE AND COLUMN-SWITCHING VALVE | HUNT, STEPHEN B. |
| <u>09122338</u> | Not Issued | 161 | 07/24/1998 | REWRITEABLE OPTICAL-SCANNER-READABLE CODE STRIP | HUNT, STEPHEN |
| <u>09082852</u> | <u>5999097</u> | 150 | 05/21/1998 | ELECTRICAL LEAD AND FINANCIAL TERMINAL INCLUDING THE LEAD | HUNTER, STEPHEN B. |
| <u>09071771</u> | Not Issued | 161 | 05/01/1998 | MEDICAMENT | HUNT, STEPHEN PHILIP |
| <u>08992200</u> | <u>6549984</u> | 150 | 12/17/1997 | MULTI-BUS ACCESS CACHE | HUNT, STEPHEN H. |

| | | | | | |
|-----------------|----------------|-----|------------|--|--------------------|
| <u>08852439</u> | Not Issued | 161 | 05/06/1997 | AUTOMATIC INTERFACE CONFIGURATION | HUNT, STEPHEN H. |
| <u>08851380</u> | Not Issued | 161 | 05/05/1997 | SERIAL TAG MEMORY THAT SUPPORTS SET-ASSOCIATIVE CACHE USING COMMODITY BSRAM | HUNT, STEPHEN H. |
| <u>08672229</u> | <u>5965801</u> | 150 | 07/05/1996 | APPARATUS FOR RAPID MEASUREMENT OF HYDROGEN CONCENTRATION AND ITS USE IN THE MEASUREMENT OF NITROGENASE ACTIVITY | HUNT, STEPHEN |
| <u>08324646</u> | Not Issued | 161 | 11/21/1994 | APPARATUS FOR MEASURING LOW CONCENTRATIONS OF GASES IN A FLOWING GAS STREAM | HUNT, STEPHEN |
| <u>08324645</u> | <u>5542284</u> | 150 | 10/18/1994 | METHOD AND INSTRUMENT FOR MEASURING DIFFERENTIAL OXYGEN CONCENTRATION BETWEEN TWO FLOWING GAS STREAMS | HUNT, STEPHEN |
| <u>08289452</u> | <u>5526633</u> | 150 | 08/12/1994 | LAWN MOWER HAVING IMPROVED DECK HEIGHT ADJUSTMENT MECHANISM | HUNTER, STEPHEN B. |
| <u>08247372</u> | <u>5397408</u> | 150 | 05/23/1994 | ULTRASONIC WELDING OF METALLIZED PLASTIC | HUNT, STEPHEN D. |
| <u>08089730</u> | Not Issued | 161 | 07/12/1993 | MULTI-PORT WIRE MANAGEMENT MODULE | HUNTER, STEPHEN A. |
| <u>08027513</u> | Not Issued | 161 | 03/04/1993 | APPARATUS FOR MEASURING LOW CONCENTRATIONS | HUNT, STEPHEN |
| <u>08027511</u> | <u>5302268</u> | 250 | 03/04/1993 | ELECTROLYTIC APPARATUS FOR GENERATING SELECTED CONCENTRATIONS OF H2 GAS IN A FLOWING GAS STREAM | HUNT, STEPHEN |
| <u>07783606</u> | Not Issued | 161 | 10/28/1991 | COMPLIANT THERMAL INTERFACE | HUNT, STEPHEN D. |
| <u>07726440</u> | Not Issued | 161 | 07/05/1991 | RESIN FOR USE IN PRODUCTION OF THREE-DIMENSIONAL OBJECTS BY STEREO- LITHOGRAPHY | HUNT, STEPHEN D. |
| <u>07703148</u> | <u>5262068</u> | 150 | 05/17/1991 | INTEGRATED SYSTEM FOR FILTERING AND DISPENSING FLUID HAVING FILL, | HUNT, STEPHEN G. |

| | | | | | |
|-----------------|----------------|-----|------------|---|-----------------------|
| | | | | DISPENSE AND BUBBLE PURGE STROKES | |
| <u>07691891</u> | Not Issued | 161 | 04/26/1991 | TAPERED SEMICONDUCTOR DEVICE PACKAGE | HUNT, STEPHEN D. |
| <u>07691769</u> | <u>5173220</u> | 250 | 04/26/1991 | METHOD OF MANUFACTURING A THREE- DIMENSIONAL PLASTIC ARTICLE | HUNT, STEPHEN D. |
| <u>07671239</u> | <u>5096294</u> | 150 | 03/19/1991 | METHOD AND APPARATUS FOR MEASURING OXYGEN CONCENTRATION AND ITS SUBSEQUENT USE IN ESTIMATING NITROGEN FIXATION IN PLANTS | HUNT, STEPHEN |
| <u>07654157</u> | <u>5114364</u> | 150 | 02/12/1991 | SHIELDED CONNECTOR | HUNTER, STEPHEN B. |
| <u>07632809</u> | Not Issued | 161 | 12/24/1990 | INTEGRATED CIRCUIT PACKAGE | HUNT, STEPHEN D. |
| <u>07594489</u> | <u>5104754</u> | 150 | 10/05/1990 | WELDLESS BATTERY PACK | HUNT, STEPHEN D. |
| <u>07592089</u> | <u>5096788</u> | 150 | 10/05/1990 | WELDLESS BATTERY PACK | HUNT, STEPHEN D. |
| <u>07495732</u> | Not Issued | 164 | 03/19/1990 | METHOD AND APPARATUS FOR MEASURING OXYGEN CONCENTRATION AND ITS SUBSEQUENT USE IN ESTIMATING NITROGEN FIXATION IN PLANTS | HUNT, STEPHEN |
| <u>07160386</u> | <u>4854840</u> | 150 | 02/25/1988 | MOLD GATE HAVING MULTIPLE VALVE STEM RECEIVING APERTURES | HUNTER, STEPHEN B. |
| <u>07143658</u> | <u>4826422</u> | 150 | 01/13/1988 | RESTRICTION INSERT FOR AN EXTRUSION DIE | HUNTER, STEPHEN B. |
| <u>06892752</u> | <u>4757414</u> | 150 | 07/31/1986 | PROTECTIVE DEVICES FOR ELECTRICAL EQUIPMENT AND COMPONENTS | HUNT, STEPHEN E. |
| <u>06599576</u> | Not Issued | 161 | 04/12/1984 | DIAPHRAGM PUMP | HUNT, STEPHEN E. |

[Search and Display More Records.](#)

| | | | |
|---------------------------------|-----------------------------------|--------------------------------------|---------------------------------------|
| | Last Name | First Name | |
| Search Another: Inventor | <input type="text" value="Hunt"/> | <input type="text" value="Stephen"/> | <input type="button" value="Search"/> |

To go back use Back button on your browser toolbar.